



Protected by  
**PAK ARMORING (PVT) LTD.**



PAK ARMORING



**ARMORED VEHICLES SPECIALIST**

One Team, One Goal, Saving Lives





# PRIDE OF PAK ARMORING

**Pak Armoring have the privileged of  
Armoring the vehicles of V.VIPs  
at the highest level**



# Armored Cash In Transit

Protected by  
Pak Armoring (Pvt) Ltd.



Protection Level **B5**  
also available on request.

Protection Level **B4**

Pak Armoring is dedicated to creating some of the most secure Cash-n-Transit vehicles on the market today. Our vehicle is trusted by many corporate customers like money exchange companies and multi-national companies to transport their cash and assets.

Our team can customize any chassis or vehicle to give the best protections possible for your needs.



## Features and Benefits

- ✔ Vertical panel protection
- ✔ Certified bullet resistance glass and steel
- ✔ Roof protection
- ✔ Doors overlap protection
- ✔ Upgraded suspension and brakes
- ✔ Electronic security area
- ✔ Base to vehicle communication
- ✔ Machinal and electronic controls
- ✔ Security camaras 360o video surveillance and recording



# Ballistic Standards Chart



## NIJ Standard - 0108.01 BALLISTIC RESISTANT PROTECTIVE MATERIALS

ARMORE TYPE	WEAPON	TEST AMMUNITION	NOMINAL BULLET MASS	SUGGESTED BARREL LENGTH	REQUIRED BULLET VELOCITY	REQUIRED HITS PER ARMOR SPECIMEN
I		22 LRHV	2.6 g	15 to 16.5 cm	320 ± 12 m/s	5
		Lead	40 gr	6 to 6.5 in	1050 ± 40 ft/s	5
		38 Special RN Lead	10.2 g 158 gr	15 to 16.5 cm 6 to 6.5 in	259 ± 15 m/s 850 ± 50 ft/s	5
II-A		357 Magnum	10.2 g	10 to 12 cm	381 ± 15 m/s	5
		JSP	158 gr	4 to 4.75 in	1250 ± 50 ft/s	5
		9 mm FMJ	8.0 g 124 gr	10 to 12 cm 4 to 4.75 in	332 ± 12 m/s 1090 ± 40 ft/s	5
II		357 Magnum	10.2 g	15 to 16.5 cm	425 ± 15 m/s	5
		JSP	158 gr	6 to 6.5 in	1395 ± 50 ft/s	5
		9 mm FMJ	8.0 g 124 gr	10 to 12 cm 4 to 4.5 in	358 ± 12 m/s 1175 ± 40 ft/s	5
III-A		44 Magnum	15.55 g	14 to 16 cm	426 ± 15 m/s	5
		Lead SWC	240 gr	5.5 to 6.25 in	1400 ± 50 ft/s	5
		Gas Checked 9 mm FMJ	8.0 g 124 gr	24 to 26 cm 9.5 to 10.25 in	426 ± 15 m/s 1400 ± 50 ft/s	5
III		7.62 mm 308 Winchester FMJ	9.7 g 150 gr	56 cm 22 in	838 ± 15 m/s	5
IV		30-06 AP	10.8 g 166 gr	56 cm 22 in	838 ± 15 m/s 2850 ± 50 ft/s	1

## BALLISTIC LEVEL

NIJ	EN	UL	GUNS & BULLETS			
III	B6	4 5 7 8	 5.45 x 39mm MSJ RUSSIA 890m/s	 AK47	 7.62 x 51mm FMJ 853m/s	 M700 Sniper
			 5.56 x 45mm FMJ 960m/s	 M16 Series	 7.62 x 54mmR FMJ 835m/s	 Dragnov SVD
			 7.62 x 39mm MSJ 740m/s	 AK47		
IIIA II IIA I	B4	1 2 3 6	 .44 Magnum 450m/s	 .44 Magnum	 9 x 19mm Prabelun FMJ 390m/s	 Bereta
 7.62 x 25mm MSJ 420-480m/s			 Tokarev			
			 DN51 Handgranade			





## PAK ARMORING (PVT) LTD.

Plot # 2/2A, Survey-86, Sector 24, Main Korangi Creek Road,  
Korangi Industrial Area, Karachi, Pakistan.

**PHONE:** 0303-9234222 - 0303-9234333

**EMAIL:** info@pakarmoring.com

